

## CLAIM AMENDMENTS

### IN THE CLAIMS

This listing of the claims will replace all prior versions, and listing, of claims in the application or previous response to office action:

1-11. (Cancelled)

12. **(Currently Amended)** A method for transmitting multimedia messaging service (MMS) data in a communication system, wherein the MMS data comprises individually linked and different data elements that are coded to different standards, the method comprising:

performing at least one of a data type and a data format conversion on at least one of the data elements in accordance with a profile of a receiver of the data; and

automatically updating a preexisting link in the MMS data linking between the different data elements, including the at least one converted data element within the MMS data, after the conversion, to maintain a validity of the preexisting link in the MMS [ ]data between the different data elements.

13. (Previously Presented) A method for transmitting data in a communication system as claimed in claim 12, wherein the conversion is performed at a provider of the receiver.

14. **(Currently Amended)** A method for transmitting data in a communication system as claimed in claim 12, further comprising verifying the updated, preexisting link in the data between different data elements.

15. (Previously Presented) A method for transmitting data in a communication system as claimed in claim 12, further comprising preparing the data for transmission as a plurality of data packets containing a header to transport organization information and a body to transmit appropriate payload information as the data elements.

16. (Previously Presented) A method for transmitting data in a communication system as claimed in claim 12, wherein the data is transmitted as a multimedia message in a Multimedia Messaging Service.

17. (Previously Presented) A method for transmitting data in a communication system as claimed in claim 16, wherein the data is transmitted on a WAP-enabled mobile phone.

18. (Currently Amended) A communication system for data transmission, comprising:

a first subscriber terminal for transmitting multimedia messaging service (MMS) data, wherein the MMS data comprising individually linked and different data elements that are coded to different standards; and

an apparatus for receiving the data from the first subscriber terminal wherein the apparatus performs at least one of a data type and a data format conversion on at least one of the data elements in accordance with a profile of a second subscriber terminal which is to receive the data, and automatically updates a preexisting link in the MMS data linking between the different data elements, including the at least one converted data element within the MMS data, after the conversion, to maintain a validity of the preexisting link in the data between the different data elements.

19. (Previously Presented) A communication system for data transmission as claimed in claim 18, wherein the apparatus is a provider of the receiver.

20. **(Currently Amended)** A communication system for data transmission as claimed in claim 18, wherein the updated, preexisting link in the data between different data elements is verified.

21. **(Previously Presented)** A communication system for data transmission as claimed in claim 18, wherein the data for transmission is prepared as a plurality of data packets containing a header to transport organization information and a body to transmit appropriate payload information as the data elements.

22. **(Previously Presented)** A communication system for data transmission as claimed in claim 18, wherein the data is transmitted as a multimedia message in a Multimedia Messaging Service.

23. **(Previously Presented)** A communication system for data transmission as claimed in claim 22, wherein the first subscriber terminal is a WAP-enabled mobile phone.

24. **(Currently Amended)** A computer program product having a computer-readable storage medium on which a program is stored which, upon loading on in a memory of a computer, enables the computer, as part of a data transmission in a communication system, to receive multimedia messaging service (MMS) data from a subscriber of the communication system, wherein the MMS data comprises individually linked and different data elements that are coded to different standards, to perform at least one of a data type and a data format conversion on at least one of the data elements in accordance with a profile of a further subscriber of the communication system to receive the data, and to automatically update a preexisting link in the MMS data linking between the different data elements, including the at least one converted data element within the MMS data, after the conversion, to maintain a validity of the preexisting link in the data between different data elements prior to the data being sent to the further subscriber.